





BOLL action

'Ovis' is named after the ancestor of domestic sheep existing in the Anatolia. Carefully engraving every single detail just like a work of art, Ovis offers all experience and competence acquired by Huğlu over the years. Also featuring to be the first mass production bold action rifle of the Cooperative, Ovis is available for preference of all hunters enjoying long distances thanks to its 308 calibre, single button control, 71 cm steel barrel, 3+1 cartridge clip etc.







ATROX

SPRING SPRING

Ejection system works with a spring to eject blank cartridges even with slow pulling the pump back Adjustable Ghost Rear Sight to customize your sighting Picatinny Rail for mounting different shooting accessories Heat Shield to protect shooter hands from the heat of the barrel.



Wing Protected Front Sight Muzzle Brake



ATROX

Safety is much more important than anything in a lifetime... Immobilizing system on the firing pins will make shooters feel


themselves in safe during shooting

- o To make a safe shooting with a pump action shotgun, the breech bolt must lock perfectly and action bar must slot into its place faultlessly.
- o If you are shooting in a jungle or a muddy/dirty environment, any dust or dirt may block the mechanism to be locked or the action bar to be slotted into its place. Thus, because of the high pressure that develops when shooting, the mechanism crashes to the back of the receiver and the gun may explode while shooting. So the shooter might get seriously injured.
- 0 Immobilizer system we improved prevents the firing pin to be hit by the hammer when the gun is in the mentioned conditions above. Hence, the gun doesn't fire and the shooter doesn't get injured due to this exploding.

Cross-bolt safety behind trigger



Processed from 6013 aluminium for a longer usage time without any deformation.



GRIP & STOCK

OPTIONS



STANDARD STOCK





кһакі

GOLD

TRIGGER PULL

BARREL LENGTH

OVERALL LENGTH (Min.) / LENGTH OF PULL

SAFETY

FINISH

CAPACITY

WEIGHT

PACKING

2,7 kg

7+1

46 cm

Cross-bolt on the trigger guard

Matte black anodizing

76,5 cm with pistol grip

102,50 cm / 370 mm with standard stock

97 cm / 318 mm-347 mm-376 mm with telescopic stock

97 cm / 318 mm-347 mm-376 mm with folding telescopic stock

102 cm / 363 mm with pistol grip stock

2,80 kg (Approx.)

Cardboard Box







OPTIONS

STOCK Standard, Pistol Grip, Pistol Grip Stock,

Telescopic Stock, Folding Telescopic Stock







SPECIFICATIONS

GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	7075 Aluminium
BARREL	Processed from full material of 4140 steel
BARREL CHOKE	Fixed
PICATINNY RAIL	Yes
MUZZLE BRAKE	Yes
REAR SIGHT	Ghost Rear Sight
FRONT SIGHT	Wing Protected Sight
TRIGGER PULL	2,7 kg
SAFETY	Cross-bolt on the trigger guard
FINISH	Matte black anodizing
CAPACITY	7+1
WEIGHT	3,10 kg(Approx.)
BARREL LENGTH	46 cm
OVERALL LENGTH (Min.) / LENGTH OF PULL	76,50 cm with pistol grip
	102,50 cm / 370 mm with standard stock
	102 cm / 363 mm with pistol grip stock
	97 cm / 318 mm-347 mm-376 mm with telescopic stock
	97 cm / 318 mm-347 mm-376 mm with folding telescopic stock
PACKING	Cardboard Box
THE STATE OF THE S	







OPTIONS

STOCK Standard, Pistol Grip,
Pistol Grip Stock,
Telescopic Stock,
Folding Telescopic Stock







ATROX

black







SPECIFICATIONS

GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	7075 Aluminium
BARREL	Processed from full material of 4140 steel
BARREL CHOKE	Fixed (Mobile Choke Optional)
TOP RIB	8mm
FRONT SIGHT	Fiber Optic
TRIGGER PULL	2,7 kg
SAFETY	Cross-bolt on the trigger guard
FINISH	Matte black anodizing
CAPACITY	7+1
WEIGHT	3,20 kg (Approx.)
BARREL LENGTH	51 cm
OVERALL LENGTH (Min.) / LENGTH OF PULL	78 cm with pistol grip
	104 cm / 370 mm with standard stock
	103,50 cm / 363 mm with pistol grip stock
	98,50 cm / 318 mm-347 mm-376 mm with telescopic stock
	98,50 cm / 318 mm-347 mm-376 mm with folding telescopic stock
PACKING	Cardboard Box







OPTIONS

STOCK Standard, Pistol Grip,
Pistol Grip Stock,
Telescopic Stock,
Folding Telescopic Stock



ATROX







SPECIFICATIONS

GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	7075 Aluminium
BARREL	Processed from full material of 4140 steel
BARREL CHOKE	Fixed
FRONT SIGHT	White
TRIGGER PULL	2,7 kg
SAFETY	Cross-bolt on the trigger guard
FINISH	Matte black anodizing
CAPACITY	7+1
WEIGHT	3,20 kg (Approx.)
BARREL LENGTH	51 cm
OVERALL LENGTH (Min.) / LENGTH OF PULL	78 cm with pistol grip
	104 cm / 370 mm with standard stock
	103,50 cm / 363 mm with pistol grip stock
	98,50 cm / 318 mm-347 mm-376 mm with telescopic stock
	98,50 cm / 318 mm-347 mm-376 mm with folding telescopic stock
PACKING	Cardboard Box







OPTIONS

STOCK Standard, Pistol Grip,
Pistol Grip Stock,
Telescopic Stock,
Folding Telescopic Stock













WORKING SYSTEM	Gas Operated with Front Action Spring
GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	7075 Aluminium
BARREL	Processed from full material of 4140 steel
BARREL CHOKE	Muzzle Break / Mobile Choke
DOVETAIL	Yes
TOP RIB	Picatinny Rail With Rear Sight
FRONT SIGHT	Wing Protected Sight
STOCK	Synthetic
BUTT PLATE	Soft Impact
TRIGGER PULL	2,3 kg
SAFETY	Cross-bolt on the trigger guard
FINISH	Matte black anodizing
CAPACITY	7+1
WEIGHT	3,6 kg (Approx.)
BARREL LENGTH	47 cm
OVERALL LENGTH (Min.) / LENGTH OF PULL	102 cm / 360 mm
PACKING	Hard Plastic Case

















of⊡ huglu.com.tr